

**AVRUPA**  
K I M Y A

**SAFE  
SOLVENTS**

[www.avrupakimya.com](http://www.avrupakimya.com)



**AVRUPA**  
K I M Y A


# ABOUT US

**AVRUPA KIMYA** Brand brings together more than 10 years of industry history and experience with its consumers. With its experienced staff, it provides service within 48 hours to every point of Turkey with its regional directorates and warehouses, especially Istanbul headquarters and logistics warehouse. Our company that gives direction with industrial maintenance and chemicals, safe solvents, aerosol group, water treatment chemicals, ship chemicals, surface treatment chemicals and raw materials ;continues its services with its expert staff and working discipline.

It offers professional solutions with ISO Quality Management System certificates and TSE certificates in different brands and adopts a sustainable quality understanding in all units from production to customer service, from training to technical service.

Our company has adopted the principle of providing the best possible quality and service to our customers by taking into account the constantly renewed technology and product quality. Because our customers are our valued partners who ensure our continuity in the business world and meeting their needs is our primary goal. Our forward-looking idea is to continue with the ideal of "presenting a cleaner environment to future generations and we are all responsible for the future". We will continue to be a chemical solution partner.

**PARSKIMAK**  
KIMYA • MAKINE



### AVR 001

#### Non-Volatile Degreaser Solvent

It removes oil and dirt from metals and allows parts to be cleaned and reused in a short time. It is a general purpose cleaner that does not corrode metals and is non-flammable. It does not damage paint, insulation, hard plastics, rubber and similar materials. It is a non-volatile product compared to other solvents and dries late.

#### Method of Use :

It is applied directly by dipping and spraying method.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

### AVR 300

#### Degreasing Solvent for Highly Volatile Metals

It absorbs oil, grease, ink, wax, asphalt, glue and other deposits on the metal and disappears from the surface in a very short time. It does not damage paint, insulation, hard plastic, rubber and similar materials. It does not contain chlorinated solvent and does not corrode metals. It makes it possible to clean and reuse parts in a short time.

#### Method of Use :

It is applied directly. It is suitable to be used as dipping due to its fast volatile feature.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

### AVR 301 MTL

#### High Volatile Pleasant Odourous Degreaser Solvent

It absorbs oil, grease, ink, wax, asphalt, glue and other deposits on the metal and disappears from the surface in a very short time. It does not damage paint, insulation, hard plastic, rubber and similar materials. It does not contain chlorinated solvent and does not corrode metals. It makes it possible to clean and reuse parts in a short time.

#### Method of Use :

It is applied directly. It is suitable to be used as dipping due to its fast volatile feature.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

### AVR 307 S

#### Water Based Industrial Solvent


It is a water-based solvent capable of dissolving oil, grease and tarred fats. It is safe, does not contain acid or alkali. Unlike other flammable solvents, it is non-flammable. It does not emit toxic and irritating solvent vapours when mixed with water. It does not require scrubbing. It is enough to spray on the surface.

#### Method of Use :

It is used by diluting 1/4 with water. Dilution should be done by shaking. Spray using a sprayer or apply to the surface with a cloth or brush. Wait 5 - 10 minutes. Then rinse with pressurised water.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**



### AVR 500 TKSL

#### Stain Remover Solvent for Textile

It is a product developed to remove oil, dirt, grease and other stains on fabrics during production in the textile sector. Depending on the type of fabric and stain applied, there are various alternatives that leave no residue on the fabric. The product is fast volatile and has a strong oil remover feature.

#### Method of Use :

It can be applied by spraying, brushing or dipping with air and stain gun. It is applied directly.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

### AVR 600

#### Electronic Board and Panel Cleaning Solvent

It is a product that can be safely used for cleaning electronic circuit boards and panels. Fast evaporating and quick drying AVR 600 cleans electronic equipment from grease, dirt and unwanted foreign substances. It is used for motors, switches, electronic control units, telephone relays, oxygen equipment, film and recording equipment control units.

#### Method of Use :

Remove the unwanted dust on the board with compressed air. Spray AVR 600 on the board with a sprayer.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

### AVR 700 SP

#### Rubber Feeder Speragum

It is an ink cleaning product for printing houses. It has rubber inflating and cleaning properties. Cleaning and maintenance product for offset rubber and rollers. It is a roller cleaner used in paint change on rubber and rollers. It eliminates dust accumulation and other negative effects on the blanket by providing effective cleaning.

#### Method of Use :

It is used directly by spraying and wiping method.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**



## AVR 901 G

### Furniture Glue Cleaning Input Solvent

It is produced as an input solution for taping machines. It provides a clean surface without leaving residue and sediment with its fast drying feature. Since it has no abrasion effect, it can be safely used for cleaning sensitive surfaces. Provides cleaning of all kinds of glue, adhesive and oil stains on the furniture surface. Does not deform the sensitive parts of the machine such as tyres, plastics etc. It saves time and power as it cleans quickly.

#### Method of Use :

It is produced for use in the spray chamber at the input part of pvc edge banding machines. It is applied directly.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

## AVR 902 Ç

### Mobilya Tutkal Temizleme Çıkış Solventi

Bantlama manikalarının Çıkış solüsyonu olarak üretilmiştir. Mobilya yüzeyindeki kurumuş tutkal ve harici lekelerin temizlenmesinde kullanılır. Tiner gibi kötü koku vermez, çalışırken rahatsız verici kokusu yoktur. Silinen yüzeyde parlak ve canlı görünüm sağlar. Lastik, plastik vb. makinenin çok hassas olan elemanlarını defore etmez.

#### Method of Use :

Pvc kenar bantlama makinelerinde Çıkış kısmındaki püskürtme haznesinde kullanmak amacıyla üretilmiştir. Direkt olarak uygulanır.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**

## AVR 903 M

### Furniture Glue Cleaning Output Solvent

Produced as output solution for taping machines. It is used for cleaning dried glue and external stains on the furniture surface. It does not give bad odour like thinner, it has no disturbing odour while working. It provides bright and vivid appearance on the wiped surface. It does not deform the very sensitive elements of the machine such as rubber, plastic etc.

#### Method of Use :

It is produced for use in the spray chamber at the output part of pvc edge banding machines. It is applied directly.

#### Packing Type :

**30 KG | 270 KG | 1000 KG**