



AVRUPA
K I M Y A



ACIDIC SOLVENTS

www.avrupakimya.com



AVRUPA
K İ M Y A

ABOUT US

AVRUPA KİMYA Brand brings together more than 10 years of industry history and experience with its consumers. With its experienced staff, it provides service within 48 hours to every point of Turkey with its regional directorates and warehouses, especially Istanbul headquarters and logistics warehouse. Our company that gives direction with industrial maintenance and chemicals, safe solvents, aerosol group, water treatment chemicals, ship chemicals, surface treatment chemicals and raw materials ;continues its services with its expert staff and working discipline.

It offers professional solutions with ISO Quality Management System certificates and TSE certificates in different brands and adopts a sustainable quality understanding in all units from production to customer service, from training to technical service.

Our company has adopted the principle of providing the best possible quality and service to our customers by taking into account the constantly renewed technology and product quality. Because our customers are our valued partners who ensure our continuity in the business world and meeting their needs is our primary goal. Our forward-looking idea is to continue with the ideal of "presenting a cleaner environment to future generations and we are all responsible for the future". We will continue to be a chemical solution partner.

PARSKİMAK
K İ M Y A • M A K İ N E



AVR SOL FRD

Heavy Dirt, Oil and Rust Remover

It is used For cleaning stainless steel and all other non-ferrous metal (aluminium, copper, etc.) surfaces. It cleans all kinds of working pollution, oil and grease stains, very light tingling and rust. A clean and shiny surface is obtained.

Method of Use :

15 - 60 minutes Consumption : 8 - 12 m²/kg

It is applied to the surface with a brush or sprayed. At the end of the reaction time, it is washed with plenty of pressurised (100 - 150 bar) water.

pH Scale :



Packing Type :

**30 KG | 270 KG
1000 KG**

POWER WAX

Wax Solvent

It is used to remove the first protective wax layer on floors and imported vehicles. It does not damage the vehicle paint and floor. It is both wax and dirt solvent.

Method of Use :

Our Power Wax product is used by diluting with hot water between ratio of 1/3 and 1/5.

pH Scale :



Packing Type :

**30 KG | 270 KG
1000 KG**

CLIMETE

Concentrated Air Conditioner Coil Cleaner

In the honeycombs and internal parts of split type air conditioners used in homes and workplaces; dirt, layers, sediment and other formations occur over time. These formations reduce the efficiency of air conditioners, causing more energy to be consumed and at the same time harmful microorganisms and bacteria to form.

Method of Use :

We recommend diluting 1/5 for heavy pollution, 1/10 for medium pollution and 1/25 for light pollution.

pH Scale :



Packing Type :

**30 KG | 270 KG
1000 KG**



POWER LIME

Concentrated Lime, Rust and Sediment Remover

It is an ideal product to be used in cases where silicified residues, lime, limestone, mineral deposits and many cleaning chemicals are insufficient. It does not damage the surface and provides a very beautiful surface. It is water soluble and does not harm the environment.

Method of Use :

Power Lime is suitable for dipping, wiping and spraying. Depending on the density of lime and rust in the area to be applied, it is diluted with water between 1/5 and 1/25 and used cold. Rinse thoroughly after the cleaning process.

pH Scale :



Packing Type :

**30 KG | 270 KG
1000 KG**

POWER LIME F 1

Concentrated Concrete Solvent

Thanks to its powerful multi-purpose formula, it solves stubborn lime, cement deposits, blackened organic dirt and your cleaning problems after transport. It cleans stubborn lime and cement without the need to scrape with a set of tools, without abrading and wearing the surface being cleaned. It is an effective product used especially in the ship industry to remove cement dust residues before and after storage, transport and mortar trucks.

Method of Use :

Depending on the cement contamination, it is diluted with water at a ratio of 1/2 to 1/5 and rubbed with a brush to remove cement, dirt, lime residues and rinsed with plenty of water.

pH Scale :



Packing Type :

**30 KG | 270 KG
1000 KG**

POWER LIME F 2

Concentrated Mixer Solvent

It can be used for cleaning mortar, lime, concrete after construction. It is also suitable for cement cleaning of concrete mixer trucks and cement silos. It is especially used for surface cleaning before painting and screed, cleaning of steel construction scaffolds from mortar, sediment and rust, cleaning of concrete and mortar from steel, wood and plastic moulds, cleaning and roughening of mould oil and shiny concrete surfaces.

Method of Use :

Wait for 5 to 10 minutes depending on the thickness of the deposits. Brush with a hard-tipped plastic brush and rinse with plenty of water. Dilute with water in a ratio of 1/2 to 1/7 depending on the need.

pH Scale :



Packing Type :

**30 KG | 270 KG
1000 KG**



AVRUPA

K I M Y A



+90 216 493 45 15



info@avrupakimya.com



www.avrupakimya.com



Esenyali Mah. Yanyol Cad.
Varyap Plaza No:61 Kapı No/247
Pendik / İSTANBUL



www.avrupakimya.com